


SUNOR CATALOGUE

SUNSHINE ORTHOPAEDICS

Bone Screws



| | |
|---------------------|-----------------------|
| Material | Stainelss Steel 316 L |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

2.0mm Cortex Screws

| Cat. No. | Sizes |
|-----------|--------------|
| 260.06-20 | 06mm to 20mm |

Profile

Thread Diameter - 2.0mm
 Drill Bit for Threaded Hole - 1.5mm
 Drill Bit for Gliding Hole - 2.0mm
 Core Diameter - 1.3mm
 Hexagonal Socket - 1.5mm
 Head Diameter - 4.0mm

| | |
|---------------------|--------------------|
| Material | Titanium AL6V4 Eli |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

2.0mm Cortex Screws

| Cat. No. | Sizes |
|-------------|--------------|
| T-260.06-20 | 06mm to 20mm |

Profile

Thread Diameter - 2.0mm
 Drill Bit for Threaded Hole - 1.5mm
 Drill Bit for Gliding Hole - 2.0mm
 Core Diameter - 1.3mm
 Hexagonal Socket - 1.5mm
 Head Diameter - 4.0mm



| | |
|---------------------|-----------------------|
| Material | Stainelss Steel 316 L |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

| | |
|---------------------|--------------------|
| Material | Titanium AL6V4 Eli |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

2.7mm Cortex Screws

Cat. No. Sizes
 262.06-30 06mm to 30mm

Profile

- Thread Diameter - 2.7mm
- Drill Bit for Threaded Hole - 2.0mm
- Drill bit for Gliding Hole - 2.7mm
- Core Diameter - 1.9mm
- Hexagonal Socket - 2.5mm
- Head Diameter - 5.0mm

2.7mm Cortex Screws

Cat. No. Sizes
 T-262.06-30 06mm to 30mm

Profile

- Thread Diameter - 2.7mm
- Drill Bit for Threaded Hole - 2.0mm
- Drill bit for Gliding Hole - 2.7mm
- Core Diameter - 1.9mm
- Hexagonal Socket - 2.5mm
- Head Diameter - 5.0mm



| | |
|---------------------|-----------------------|
| Material | Stainelss Steel 316 L |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

3.5mm Cortex Screws

| Cat. No. | Sizes |
|-----------|--------------|
| 264.10-50 | 10mm to 50mm |

Profile

Thread Diameter - 3.5mm
 Drill Bit for Threaded Hole - 2.5mm
 Drill Bit for Gliding Hole - 3.5mm
 Core Diameter - 2.4mm
 Hexagonal Socket - 2.5mm
 Head Diameter - 6.0mm

| | |
|---------------------|--------------------|
| Material | Titanium AL6V4 Eli |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

3.5mm Cortex Screws

| Cat. No. | Sizes |
|-------------|--------------|
| T-264.10-50 | 10mm to 50mm |

Profile

Thread Diameter - 3.5mm
 Drill Bit for Threaded Hole - 2.5mm
 Drill Bit for Gliding Hole - 3.5mm
 Core Diameter - 2.4mm
 Hexagonal Socket - 2.5mm
 Head Diameter - 6.0mm



| | |
|---------------------|-----------------------|
| Material | Stainelss Steel 316 L |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

| | |
|---------------------|--------------------|
| Material | Titanium AL6V4 Eli |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

4.5mm Cortex Screws

Cat. No. Sizes
 266.12-70 12mm to 70mm

Profile

- Thread Diameter - 4.5 mm
- Drill Bit for Threaded Hole - 3.2 mm
- Drill Bit for Gliding Hole - 4.5 mm
- Core Diameter - 3.0 mm
- Hexagonal Socket - 3.5 mm
- Head Diameter - 8.0 mm

4.5mm Cortex Screws

Cat. No. Sizes
 T-266.12-70 12mm to 70mm

Profile

- Thread Diameter - 4.5 mm
- Drill Bit for Threaded Hole - 3.2 mm
- Drill Bit for Gliding Hole - 4.5 mm
- Core Diameter - 3.0 mm
- Hexagonal Socket - 3.5 mm
- Head Diameter - 8.0 mm



| | |
|---------------------|-----------------------|
| Material | Stainelss Steel 316 L |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

4.5mm Malleolar Screw

| Cat. No. | Sizes |
|-----------|--------------|
| 268.25-80 | 25mm to 80mm |

Profile

Thread Diameter - 4.5mm
 Drill Bit for Threaded Hole - 3.2mm
 Shaft Diameter - 3.0mm
 Core Diameter - 3.0mm
 Hexagonal Socket - 3.5mm
 Head Diameter - 8.0mm

| | |
|---------------------|--------------------|
| Material | Titanium AL6V4 Eli |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

4.5mm Malleolar Screw

| Cat. No. | Sizes |
|-------------|--------------|
| T-268.25-80 | 25mm to 80mm |

Profile

Thread Diameter - 4.5mm
 Drill Bit for Threaded Hole - 3.2mm
 Shaft Diameter - 3.0mm
 Core Diameter - 3.0mm
 Hexagonal Socket - 3.5mm
 Head Diameter - 8.0mm



| | |
|---------------------|-----------------------|
| Material | Stainelss Steel 316 L |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

3.5mm Cancellous Screw

| Cat. No. | Sizes |
|-----------|--------------|
| 270.10-60 | 10mm to 60mm |

Profile

Thread Diameter - 3.5mm
 Drill Bit for Threaded Hole - 2.5mm
 Drill Bit for Gliding Hole - 2.5mm
 Core Diameter - 1.9mm
 Hexagonal Socket - 2.5mm
 Head Diameter - 6.0mm

| | |
|---------------------|--------------------|
| Material | Titanium AL6V4 Eli |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

3.5mm Cancellous Screw

| Cat. No. | Sizes |
|-------------|--------------|
| T-270.10-60 | 10mm to 60mm |

Profile

Thread Diameter - 3.5mm
 Drill Bit for Threaded Hole - 2.5mm
 Drill Bit for Gliding Hole - 2.5mm
 Core Diameter - 1.9mm
 Hexagonal Socket - 2.5mm
 Head Diameter - 6.0mm



| | |
|---------------------|-----------------------|
| Material | Stainelss Steel 316 L |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

4.0mm Cancellous Screws (Full Thread)

| Cat. No. | Sizes |
|-----------|--------------|
| 272.10-70 | 10mm to 70mm |

Profile

Thread Diameter - 4.0mm
 Drill Bit for Threaded Hole - 2.5mm
 Core Diameter - 1.9mm
 Hexagonal Socket - 2.5mm
 Head Diameter - 6.0mm

| | |
|---------------------|--------------------|
| Material | Titanium AL6V4 Eli |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

4.0mm Cancellous Screws (Full Thread)

| Cat. No. | Sizes |
|-------------|--------------|
| T-272.10-70 | 10mm to 70mm |

Profile

Thread Diameter - 4.0mm
 Drill Bit for Threaded Hole - 2.5mm
 Core Diameter - 1.9mm
 Hexagonal Socket - 2.5mm
 Head Diameter - 6.0mm



| | |
|---------------------|-----------------------|
| Material | Stainelss Steel 316 L |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

| | |
|---------------------|--------------------|
| Material | Titanium AL6V4 Eli |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

4.0mm Cancellous Screws (Short Thread)

| Cat. No. | Sizes |
|-----------|--------------|
| 274.10-70 | 10mm to 70mm |

Profile

- Thread Diameter - 4.0mm
- Drill Bit for Threaded Hole - 2.5mm
- Shaft Diameter - 2.4mm
- Core Diameter - 1.9mm
- Hexagonal Socket - 2.5mm
- Head Diameter - 6.0mm

4.0mm Cancellous Screws (Short Thread)

| Cat. No. | Sizes |
|-------------|--------------|
| T-274.10-70 | 10mm to 70mm |

Profile

- Thread Diameter - 4.0mm
- Drill Bit for Threaded Hole - 2.5mm
- Shaft Diameter - 2.4mm
- Core Diameter - 1.9mm
- Hexagonal Socket - 2.5mm
- Head Diameter - 6.0mm



| | |
|---------------------|-----------------------|
| Material | Stainelss Steel 316 L |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

6.5mm Cancellous Screws (16mm Thread)

| Cat. No. | Sizes |
|------------|---------------|
| 275.40-110 | 40mm to 110mm |

Profile

Thread Diameter - 6.5mm
 Drill Bit for Threaded Hole - 3.2mm
 Shaft Diameter - 4.5mm
 Drill Bit for Shaft - 4.5mm
 Core Diameter - 3.0mm
 Hexagonal Socket - 3.5mm
 Head Diameter - 8.0mm

| | |
|---------------------|--------------------|
| Material | Titanium AL6V4 Eli |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

6.5mm Cancellous Screws (16mm Thread)

| Cat. No. | Sizes |
|--------------|---------------|
| T-275.40-110 | 40mm to 110mm |

Profile

Thread Diameter - 6.5mm
 Drill Bit for Threaded Hole - 3.2mm
 Shaft Diameter - 4.5mm
 Drill Bit for Shaft - 4.5mm
 Core Diameter - 3.0mm
 Hexagonal Socket - 3.5mm
 Head Diameter - 8.0mm



| | |
|---------------------|-----------------------|
| Material | Stainelss Steel 316 L |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

| | |
|---------------------|--------------------|
| Material | Titanium AL6V4 Eli |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

6.5mm Cancellous Screws (32mm Thread)

Cat. No. Sizes
 275.40-110 40mm to 110mm

Profile

- Thread Diameter - 6.5mm
- Drill Bit for Threaded Hole - 3.2mm
- Shaft Diameter - 4.5mm
- Drill Bit for Shaft - 4.5mm
- Core Diameter - 3.0mm
- Hexagonal Socket - 3.5mm
- Head Diameter - 8.0mm

6.5mm Cancellous Screws (32mm Thread)

Cat. No. Sizes
 T-275.40-110 40mm to 110mm

Profile

- Thread Diameter - 6.5mm
- Drill Bit for Threaded Hole - 3.2mm
- Shaft Diameter - 4.5mm
- Drill Bit for Shaft - 4.5mm
- Core Diameter - 3.0mm
- Hexagonal Socket - 3.5mm
- Head Diameter - 8.0mm



| | |
|---------------------|-----------------------|
| Material | Stainelss Steel 316 L |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

6.5mm Cancellous Screws (Full Thread)

| Cat. No. | Sizes |
|------------|---------------|
| 277.25-110 | 25mm to 110mm |

Profile

Thread Diameter - 6.5mm
 Drill Bit for Threaded Hole - 3.2mm
 Core Diameter - 3.0mm
 Hexagonal Socket - 3.5mm
 Head Diameter - 8.0mm

| | |
|---------------------|--------------------|
| Material | Titanium AL6V4 Eli |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

6.5mm Cancellous Screws (Full Thread)

| Cat. No. | Sizes |
|--------------|---------------|
| T-277.25-110 | 25mm to 110mm |

Profile

Thread Diameter - 6.5mm
 Drill Bit for Threaded Hole - 3.2mm
 Core Diameter - 3.0mm
 Hexagonal Socket - 3.5mm
 Head Diameter - 8.0mm



| | |
|---------------------|-----------------------|
| Material | Stainelss Steel 316 L |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

| | |
|---------------------|--------------------|
| Material | Titanium AL6V4 Eli |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

7.0mm Cannulated Screws (16mm Thread)

Cat. No. Sizes
 278.30-110 30mm to 110mm

Profile


- Thread Diameter - 7.0mm
- Drill Bit for Threaded Hole - 4.5mm
- Shaft Diameter - 4.5mm
- Core Diameter - 4.5mm
- Hexagonal Socket - 3.5mm
- Head Diameter - 8.0mm
- Cannulation - 2.1mm

7.0mm Cannulated Screws (16mm Thread)

Cat. No. Sizes
 T-278.30-110 30mm to 110mm

Profile

- Thread Diameter - 7.0mm
- Drill Bit for Threaded Hole - 4.5mm
- Shaft Diameter - 4.5mm
- Core Diameter - 4.5mm
- Hexagonal Socket - 3.5mm
- Head Diameter - 8.0mm
- Cannulation - 2.1mm



| | |
|---------------------|-----------------------|
| Material | Stainelss Steel 316 L |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

7.0mm Cannulated Screws (32mm Thread)

| Cat. No. | Sizes |
|------------|---------------|
| 279.40-110 | 40mm to 110mm |

Thread Diameter - 7.0mm
 Drill Bit for Threaded Hole - 4.5mm
 Shaft Diameter - 4.5mm
 Core Diameter - 4.5mm
 Hexagonal Socket - 3.5mm
 Head Diameter - 8.0mm
 Cannulation - 2.1mm

| | |
|---------------------|--------------------|
| Material | Titanium AL6V4 Eli |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

7.0mm Cannulated Screws (32mm Thread)

| Cat. No. | Sizes |
|--------------|---------------|
| T-279.40-110 | 40mm to 110mm |

Thread Diameter - 7.0mm
 Drill Bit for Threaded Hole - 4.5mm
 Shaft Diameter - 4.5mm
 Core Diameter - 4.5mm
 Hexagonal Socket - 3.5mm
 Head Diameter - 8.0mm
 Cannulation - 2.1mm



| | |
|---------------------|-----------------------|
| Material | Stainelss Steel 316 L |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

| | |
|---------------------|--------------------|
| Material | Titanium AL6V4 Eli |
| Packing | 01 Pc |
| Sterile/Non-Sterile | Non-Sterile |

4.0mm Cannulated Screws

Cat. No. Sizes
 280.20-80 20mm to 80mm

Profile

Thread Diameter - 4.0mm
 Shaft Diameter - 2.5mm
 Core Diameter - 2.5mm
 Hexagonal Socket - 2.5mm
 Head Diameter - 6.0mm
 Cannulation - 1.35mm

4.0mm Cannulated Screws

Cat. No. Sizes
 T-280.20-80 20mm to 80mm

Profile

Thread Diameter - 4.0mm
 Shaft Diameter - 2.5mm
 Core Diameter - 2.5mm
 Hexagonal Socket - 2.5mm
 Head Diameter - 6.0mm
 Cannulation - 1.35mm



SUNSHINE ORTHOPAEDICS

Regd. Office:

Plot No. 1350, HSIIDC Phase V, Rai Industrial Estate,
Dist. Sonapat (Haryana) - 131029 INDIA

Phone: 91-130-2367948

Fax: 91-130-2367949

E-mail: nitin@sunor.org

Web Site: <http://www.sunor.org>