

# SUNOR CATALOGUE

---

## SUNSHINE ORTHOPAEDICS

### Pins & Wires



## Pins & Wires

### K. Wire Both End Trocar Point

Cat. No.	Size
129.10-15-25	Dia: 1.0mm, Length 15cm-30cm
129.15-15-30	Dia: 1.5mm, Length 15cm-30cm
129.08-15-30	Dia: 0.8mm, Length 15cm-30cm
129.18-15-30	Dia: 1.8mm, Length 15cm-30cm
129.20-15-30	Dia: 2.0mm, Length 15cm-30cm
129.25-15-30	Dia: 2.5mm, Length 15cm-30cm
129.30-15-30	Dia: 3.0mm, Length 15cm-30cm



### K. Wire Both End Threaded Point

Cat. No.	Size
131.15-15	Dia: 1.5mm, Length 15cms
131.18-15	Dia: 1.8mm, Length 15cms
131.20-15	Dia: 2.0mm, Length 15cms
131.25-15	Dia: 2.5mm, Length 15cms



### K. Wire Fully Threaded Point

Cat. No.	Size
133.15-15	Dia: 1.5mm, Length 15cms
133.18-15	Dia: 1.8mm, Length 15cms
133.20-15	Dia: 2.0mm, Length 15cms
133.25-15	Dia: 2.5mm, Length 15cms



### Steinman Pin

Cat. No.	Size
135.30-25	Dia: 3.0mm
135.35-45	Dia: 3.5mm
135.40-25	Dia: 4.0mm
135.45-25	Dia: 4.5mm
135.50-250	Dia: 5.0mm



### Schanz Screw

Cat. No.	Size
300.20-50	Dia: 2.0mm to 5.0mm
301.45	Dia: 4.5mm
302.65-16	Dia: 6.5mm
302.65-32	Dia: 6.5mm



Steinman Pin, Centrally Threaded (Denham Pin)

Cat. No.	Size
137.30	Dia: 3.0mm
137.35	Dia: 3.5mm
137.40	Dia: 4.0mm
137.45	Dia: 4.5mm
137.50	Dia: 5.0mm



K. Wire Both End Trocar Point

Cat. No.	Size
137.30-25	Dia: 3.0mm
137.35-45	Dia: 3.5mm
137.40-25	Dia: 4.0mm
137.45-25	Dia: 4.5mm
137.50-225	Dia: 5.0mm



S.S. Wire

Cat. No.	Size
140.16-34	16Gauge to 34Gauge



Staples 'U' Type

Cat. No.	Size
142.15-16-20	Dia: 1.5mm, W: 16mm, L: 20mm
142.15-22-20	Dia: 1.5mm, W: 22mm, L: 20mm
142.20-22-20	Dia: 2.0mm, W: 16mm, L: 20mm
142.25-22-20	Dia: 2.5mm, W: 16mm, L: 20mm



Staples Coventry Type

Cat. No.	Size
142.50-10-15	Dia: 5.0mm, 10.0mm, 15.0mm



# SUNSHINE ORTHOPAEDICS

Regd. Office:

Plot No. 1350, HSIIDC Phase V, Rai Industrial Estate,  
Dist. Sonapat (Haryana) - 131029 INDIA

Phone: 91-130-2367948

Fax: 91-130-2367949

E-mail: [nitin@sunor.org](mailto:nitin@sunor.org)

Web Site: <http://www.sunor.org>