

CANNULATED SCREWS AND INSTRUMENTS

CANNULATED SCREWS

4.0mm Cannulated Screw, Short Thread

S.S.		Titanium	
Cat. No.	Size	Cat. No.	Size
280.20-80	Length: 20mm to 80mm	280.20-80	Length: 20mm to 80mm



Profile:

Thread diameter	4.0mm
Drill bit for threaded hole	2.7mm
Shaft diameter	2.6mm
Core diameter	2.25mm
Hexagonal socket	2.5mm
Head diameter	5.0mm
Cannulation	1.4mm

4.0mm Cannulated Screw, Full Thread

S.S.		Titanium	
Cat. No.	Size	Cat. No.	Size
807.20-80	Length: 20mm to 80mm	807.20-80	Length: 20mm to 80mm



Profile:

Thread diameter	4.0mm
Drill bit for threaded hole	2.7mm
Shaft diameter	2.6mm
Core diameter	2.6mm
Hexagonal socket	2.5mm
Head diameter	5.0mm
Cannulation	1.5mm

7.0mm Cannulated Screw, 16mm Thread

S.S.		Titanium	
Cat. No.	Size	Cat. No.	Size
278.30-110	Length: 30mm to 110mm	278.30-110	Length: 30mm to 110mm



Profile:

Thread diameter	7.0mm
Drill bit for threaded hole	4.5mm
Core diameter	4.5mm
Hexagonal socket	3.5mm
Head diameter	8.0mm
Cannulation	2.1mm

7.0mm Cannulated Screw, 32mm Thread

S.S.		Titanium	
Cat. No.	Size	Cat. No.	Size
279.30-110	Length: 30mm to 110mm	279.30-110	Length: 30mm to 110mm



Profile:

Thread diameter	7.0mm
Drill bit for threaded hole	4.5mm
Core diameter	4.5mm
Hexagonal socket	3.5mm
Head diameter	8.0mm
Cannulation	2.1mm

CANNULATED SCREWS AND INSTRUMENTS

7.0mm Cannulated Screw, Full Thread

S.S.		Titanium	
Cat. No.	Size	Cat. No.	Size
809.30-110	Length: 30mm to 110mm	809.30-110	Length: 30mm to 110mm



Profile:

Thread diameter	7.0mm
Drill bit for threaded hole	4.5mm
Core diameter	4.5mm
Hexagonal socket	3.5mm
Head diameter	8.0mm
Cannulation	2.1mm

Herbert Screw

S.S.		Titanium	
Cat. No.	Size	Cat. No.	Size
292.35-14-36	Length: 14.0mm to 36mm	292.35-14-36	Length: 14.0mm to 36mm



Profile:

Thread diameter proximal	4.5mm
Thread diameter distal	3.5mm
Core diameter	2.6mm
Shaft diameter	2.7mm
Hexagonal socket	2.5mm
Cannulation	1.3mm

CANNULATED SCREWS AND INSTRUMENTS

INSTRUMENTS 4.0MM CANNULATED SCREWS

Cannulated Drill Bit

Cat. No.	Size
674.01	2.7mm



Cannulated Bone Tap

Cat. No.	Size
674.02	4.0mm



Cannulated Hex Screw Driver

Cat. No.	Size
674.03	2.5mm Tip



Direct Measuring Device

Cat. No.	Size
674.04	



Threaded Guide Wire

Cat. No.	Size
674.05	Dia: 1.2mm, Length 225mm



CANNULATED SCREWS AND INSTRUMENTS

INSTRUMENTS 7.0MM CANNULATED SCREWS

Cannulated Drill Bit

Cat. No.	Size
672.01	4.5mm



Cannulated Bone Tap

Cat. No.	Size
672.02	7.0mm



Large Cannulated Hex. Screw Driver

Cat. No.	Size
672.03	3.5mm Tip



Protection Sleeve

Cat. No.	Size
672.04	4.5mm



Parallel Wire Guide

Cat. No.	Size
672.05	



Direct Measuring Device

Cat. No.	Size
672.06	



Threaded Guide Wire

Cat. No.	Size
672.07	Dia: 2.0mm, Length: 225mm

